

Safety data sheet

Page: 1/11

BASF Safety data sheet

Date / Revised: 10.02.2017

Product: **SHARPEN WG HERBICIDE**

Version: 2.1

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

1. Substance/preparation and manufacturer/supplier identification

SHARPEN WG HERBICIDE

Use: crop protection product, herbicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Reproductive toxicity: Cat. 2 (unborn child)

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:

Warning

BASF Safety data sheet

Date / Revised: 10.02.2017

Version: 2.1

Product: **SHARPEN WG HERBICIDE**

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

Hazard Statement:

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Suspected of damaging the unborn child.

Precautionary Statements (Prevention):

Obtain special instructions before use. Use personal protective equipment as required.

Precautionary Statements (Response):

IF exposed or concerned: Get medical advice/attention. Collect spillage.

Precautionary Statements (Storage):

Store locked up.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

herbicide, water dispersible granules

Hazardous ingredients**Saflufenacil**

Content (W/W): 70 %

CAS Number: 372137-35-4

Repr.: Cat. 2 (unborn child)

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

BASF Safety data sheet

Date / Revised: 10.02.2017

Product: **SHARPEN WG HERBICIDE**

Version: 2.1

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet, carbon dioxide

Specific hazards:
carbon monoxide, carbon dioxide, ammonia, hydrogen chloride, nitrogen oxides, sulfur oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Avoid dust formation.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Protect against moisture. Keep away from heat. Protect from direct sunlight.

Protect from temperatures above: 50 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Eye protection not required.

Body protection:

Standard work clothes and shoes.

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

BASF Safety data sheet

Date / Revised: 10.02.2017

Version: 2.1

Product: **SHARPEN WG HERBICIDE**

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

9. Physical and Chemical Properties

Form: solid, granules
 Colour: light brown
 Odour: odourless
 Odour threshold: not applicable, odour not perceivable

pH value: approx. 4 - 6
 (10 g/l, 25 °C)

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

melting range: 189.9 - 193.4 °C (OECD Guideline 102)
 Thermal decomposition above the indicated temperature is possible.

 Boiling point: The product is a non-volatile solid.

Flash point: not applicable

Evaporation rate: not applicable

Flammability (solid/gas): not highly flammable
 Lower explosion limit: For solids not relevant for classification and labelling.

Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Thermal decomposition: 200 °C , 140 kJ/kg (DSC (OECD 113))
 250 °C , 310 kJ/kg (DSC (OECD 113))
 355 °C , 100 kJ/kg (DSC (OECD 113))

Self ignition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. Temperature: 371 °C (Method: Directive 92/69/EEC, A.16)

Self heating ability: It is not a substance capable of spontaneous heating.

Explosion hazard: not explosive
 Fire promoting properties: not fire-propagating

BASF Safety data sheet
Date / Revised: 10.02.2017
Product: **SHARPEN WG HERBICIDE**

Version: 2.1

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

Vapour pressure: The product has not been tested.

Density: approx. 1.61 g/cm³
(20 °C)

Bulk density: 540 - 600 kg/m³
(20 °C, 1,013 hPa)
585 - 645 kg/m³
(20 °C, 1,013 hPa)
Apparent density after tamping

Relative vapour density (air):
not applicable

Solubility in water: dispersible

Information on: saflufenacil (ISO); N'-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Partitioning coefficient n-octanol/water (log Pow): 2.6
(20 °C; pH value: 1.7)

Viscosity, dynamic: not applicable

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: 200 °C, 140 kJ/kg (DSC (OECD 113))

Thermal decomposition: 250 °C, 310 kJ/kg (DSC (OECD 113))

Thermal decomposition: 355 °C, 100 kJ/kg (DSC (OECD 113))

Thermal decomposition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:

strong oxidizing agents, strong acids, strong bases

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

The product is chemically stable.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg

LC50 (by inhalation): > 5 mg/l 4 h

LD50 rat (dermal): > 2,000 mg/kg

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig:

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

The available information is not sufficient for the evaluation of specific target organ toxicity.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

(48 h) > 100 mg/l, *Daphnia magna* (static)

Aquatic plants:

EC50 (72 h) 0.1157 mg/l (growth rate), *Pseudokirchneriella subcapitata*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet

Date / Revised: 10.02.2017

Version: 2.1

Product: **SHARPEN WG HERBICIDE**

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: 9

Packing group: III

ID number: UN 3077

Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)

BASF Safety data sheet
Date / Revised: 10.02.2017
Product: **SHARPEN WG HERBICIDE**

Version: 2.1

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

Further information

Hazchem Code:2Z
IERG Number:47

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3077
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3077
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

Registration status:

AICS, AU released w/o restriction f. BASF / not listed
APVMA Approval 62853

BASF Safety data sheet

Date / Revised: 10.02.2017

Product: **SHARPEN WG HERBICIDE**

Version: 2.1

(30574858/SDS_CPA_AU/EN)

Date of print 11.02.2017

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.