

Safety data sheet

Page: 1/11

BASF Safety data sheet

Date / Revised: 24.10.2016

Product: **ACROBAT SC FUNGICIDE**

Version: 6.0

(30306411/SDS_CPA_AU/EN)

Date of print 25.10.2016

1. Substance/preparation and manufacturer/supplier identification

ACROBAT SC FUNGICIDE

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat. 4 (oral)

Hazardous to the aquatic environment - acute: Cat. 2

Hazardous to the aquatic environment - chronic: Cat. 2

Label elements and precautionary statement:

Pictogram:



Signal Word:

Warning

Hazard Statement:

Harmful if swallowed. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary Statement:

If medical advice is needed, have product container or label at hand. Keep out of reach of children.

Precautionary Statements (Prevention):

Wash contaminated body parts thoroughly after handling. Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.
Collect spillage.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

| May produce an allergic reaction. Contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

3. Composition/information on ingredients

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients**| Dimethomorph**

Content (W/W): 43.9 %
CAS Number: 110488-70-5

Acute Tox.: Cat. 5 (oral)
Aquatic Acute: Cat. 2
Aquatic Chronic: Cat. 1

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

BASF Safety data sheet

Date / Revised: 24.10.2016

Product: **ACROBAT SC FUNGICIDE**

Version: 6.0

(30306411/SDS_CPA_AU/EN)

Date of print 25.10.2016

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen dioxide, hydrogen chloride, nitrogen oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

▮ No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

BASF Safety data sheet

Date / Revised: 24.10.2016

Product: **ACROBAT SC FUNGICIDE**

Version: 6.0

(30306411/SDS_CPA_AU/EN)

Date of print 25.10.2016

9. Physical and Chemical Properties

Colour:	white
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 7 - 9 (approx. 20 °C)
Freezing point:	approx. 0 °C Information applies to the solvent.
Boiling point:	approx. 100 °C Information applies to the solvent.
Flash point:	Non-flammable.
Evaporation rate:	not applicable
Flammability (solid/gas):	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	not determined
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Explosion hazard:	Based on the chemical structure there is no indicating of explosive properties.
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.
Vapour pressure:	approx. 23.4 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1.15 g/cm ³ (20 °C)

BASF Safety data sheet

Date / Revised: 24.10.2016

Product: **ACROBAT SC FUNGICIDE**

Version: 6.0

(30306411/SDS_CPA_AU/EN)

Date of print 25.10.2016

Relative vapour density (air):
not applicable

Solubility in water: dispersible
Information on: Dimethomorph
Partitioning coefficient n-octanol/water (log Pow): 2.63 - 2.73
(20 °C)

Viscosity, dynamic: 157 mPa.s
(20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong bases, strong acids, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Of moderate toxicity after single ingestion.

Experimental/calculated data:
LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LC50 rat (by inhalation): > 5.0 mg/l 4 h (OECD Guideline 403)

BASF Safety data sheet

Date / Revised: 24.10.2016

Product: **ACROBAT SC FUNGICIDE**

Version: 6.0

(30306411/SDS_CPA_AU/EN)

Date of print 25.10.2016

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No mortality was observed.

Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: (OECD Guideline 405)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: (OECD Guideline 406)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

BASF Safety data sheet

Date / Revised: 24.10.2016

Product: **ACROBAT SC FUNGICIDE**

Version: 6.0

(30306411/SDS_CPA_AU/EN)

Date of print 25.10.2016

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph

Toxicity to fish:

LC50 (96 h) 6.8 mg/l, *Oncorhynchus mykiss* (EPA 72-1, static)

Information on: dimethomorph

Aquatic invertebrates:

EC50 (48 h) 49 mg/l, *Daphnia magna*

Information on: dimethomorph

Aquatic plants:

EC50 (96 h) > 20 mg/l, *Pseudokirchneriella subcapitata*

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethomorph

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethomorph

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethomorph

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIMETHOMORPH 44%)

Further information

Hazchem Code:3Z
IERG Number:47

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIMETHOMORPH 44%)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DIMETHOMORPH 44%)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF Safety data sheet
Date / Revised: 24.10.2016
Product: **ACROBAT SC FUNGICIDE**

Version: 6.0

(30306411/SDS_CPA_AU/EN)

Date of print 25.10.2016

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

Registration status:

AICS, AU released w/o restriction f. BASF / not listed
APVMA Approval 62737

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.