



KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BELANTY® FUNGICIDE

ACTIVE CONSTITUENT: 75 g/L MEFENTRIFLUCONAZOLE

GROUP	3	FUNGICIDE
-------	----------	-----------

For the control of powdery mildew in grapes and black spot in apples as per the Directions for Use Table.

CONTENTS: 1L, 2L, 2.5L, 5L, 10L

BASF Australia Ltd ABN 62 008 437 867
Level 12, 28 Freshwater Place Southbank VICTORIA 3006

® Registered trademark of BASF

APVMA Approval No.: 84344/110155

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Dispose of rinsate or any undiluted chemical according to state/territory legislative requirements. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

When opening the container and preparing spray, wear elbow length PVC gloves. After each day's use, wash gloves. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non- excludable conditions or warranties of the Consumer and Competition Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

APVMA Approval No: 84344/110155

Batch No:

Date of Manufacture:

BASF Australia Ltd
ABN 62 008 437 867
Level 12, 28 Freshwater Place
Southbank VICTORIA 3006

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS-AUSTRALIA WIDE

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BELANTY® FUNGICIDE

ACTIVE CONSTITUENT: 75 g/L MEFENTRIFLUCONAZOLE

GROUP	3	FUNGICIDE
-------	----------	-----------

For the control of powdery mildew in grapes and black spot in apples as per the Directions for Use Table.

CONTENTS: 1L, 2L, 2.5L, 5L, 10L

BASF Australia Ltd ABN 62 008 437 867
Level 12, 28 Freshwater Place Southbank VICTORIA 3006

® Registered trademark of BASF

APVMA Approval No.: 84344/110155

DIRECTIONS FOR USE**RESTRAINTS**

DO NOT apply by aircraft.

DO NOT apply if heavy rains or storms are forecast within 3 days.

DO NOT irrigate to the point of runoff for at least 3 days after application.

SPRAY DRIFT RESTRAINTS

Except when applying with orchard airblast equipment, DO NOT apply with spray droplets smaller than a MEDIUM spray droplet size category according to nozzle manufacturer specifications that refer to the ASAE S572 Standard or the BCPC Guideline.

DO NOT apply when wind speed is less than 3 or more than 20 kilometres per hour as measured at the application site.

DO NOT apply during surface temperature inversion conditions at the application site.

DO NOT direct spray above trees or vines during airblast applications. TURN OFF outward pointing nozzles at row ends and outer rows during airblast applications.

Users of this product MUST make an accurate written record of the details of each spray application within 24 hours following application and KEEP this record for a minimum of 2 years. The spray application details that must be recorded are: 1) date with start and finish times of application; 2) location address and paddock/s sprayed; 3) full name of this product; 4) amount of product used per hectare and number of hectares applied to; 5) crop/situation and weed/pest; 6) wind speed and direction during application; 7) air temperature and relative humidity during application; 8) nozzle brand, type, spray angle, nozzle capacity and spray system pressure measured during application; 9) name and address of person applying this product. (Additional record details may be required by the state or territory where this product is used.)

MANDATORY NO-SPRAY ZONES**NO SPRAY ZONE FOR THE PROTECTION OF THE AQUATIC ENVIRONMENT**

DO NOT apply if there are aquatic and wetland areas including aquacultural ponds, surface streams and rivers within 25 metres downwind from the application area.

NO SPRAY ZONE FOR THE PROTECTION OF INTERNATIONAL TRADE**FOR GROUND APPLICATION TO APPLES**

DO NOT apply if there are livestock, pasture or any land that is producing feed for livestock within 20 metres downwind from the application area..

CROP	DISEASE	RATE	CRITICAL COMMENTS
Grapes	Powdery mildew (<i>Uncinula necator</i>)	80mL/100L	<p>Also see 'EXPORT OF TREATED FRUIT OR WINE' section re export commodities.</p> <p>Apply up to three sprays per season as part of a complete disease control programme.</p> <p>If applying consecutive applications of Belanty, a spray interval of 7-21 days is required.</p> <p>Use the shorter intervals under conditions favouring disease infection.</p> <p>Apply before development of disease</p> <p>Apply by dilute or concentrate spraying equipment.</p> <p>Apply the same total amount of product to the target crop whether applying this product by dilute or concentrate spraying methods.</p> <p>Do not apply to established powdery mildew infections.</p> <p>DO NOT use in equipment that requires concentrations greater than 400 mL/100 L of water (5x concentration)</p> <p>The use of Belanty Fungicide is subject to the CropLife Australia Resistance Management Strategy. Apply no more than two consecutive sprays of group 3 fungicides, and no more than three in total per season. Use a fungicide of a different mode of action should further applications be required.</p>
Apples	Black spot (<i>Venturia inaequalis</i>)		<p>Application may commence at spurburst and use a 7 to 10 day interval prior to petal fall and during periods of rapid growth. Later applications should be at 10 to 14 day intervals, or according to prevailing weather conditions and disease incidence.</p> <p>Apply by dilute or concentrate spraying equipment. Apply the same total amount of product to the target crop whether applying this product by dilute or concentrate spraying methods.</p> <p>DO NOT use in equipment that requires concentrations greater than 400 mL / 100 L of water (5x concentration).</p> <p>Ensure thorough and even coverage of all plant parts. The use of Belanty Fungicide is subject to the CropLife Australia Resistance Management Strategy. Apply no more than two consecutive sprays of Group 3 fungicides, and no more than three per season.</p>

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

Apples: DO NOT harvest for 7 days after application.

Grapes: DO NOT harvest for 7 days after application.

Grazing Restraint:

DO NOT GRAZE ANY TREATED AREA OR CUT FOR STOCKFOOD

EXPORT OF TREATED FRUIT OR WINE

Growers should note that Maximum Residue Limits (MRLs) or import tolerances do not exist in all markets for fruit treated with Belanty Fungicide. Additionally, some export markets have established MRLs different to those in Australia. If you are growing fruit for export (either fresh or as wine), please check with BASF Australia Ltd or the Australian Wine Research Institute, www.awri.com.au, for the latest information on MRLs and import tolerances BEFORE using Belanty Fungicide.

GENERAL INSTRUCTIONS

FUNGICIDE RESISTANCE WARNING

GROUP	3	FUNGICIDE
-------	----------	-----------

Belanty Fungicide is a member of the DMI group of fungicides. For fungicide resistance management, Belanty Fungicide is a Group 3 fungicide. Some naturally-occurring individual fungi resistant to Belanty Fungicide and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Belanty Fungicide or other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from the failure of Belanty to control resistant fungi.

MIXING

To ensure even mixing, half-fill the spray tank with clean water and add the required amount of product. If required, add compatible products and agitate thoroughly, then add the remainder of the water. Agitate again before spraying commences.

APPLICATION

Ensure thorough coverage of plants, especially the underside of leaves and young grape bunches.

DO NOT apply by aircraft.

Application to Grapevines and Apples

Dilute Spraying

- Use a sprayer designed to apply high volumes of water up to the point of run-off and matched to the crop being sprayed.
- Set up and operate the sprayer to achieve even coverage throughout the crop canopy. Apply sufficient water to cover the crop to the point of run-off. Avoid excessive run-off.
- The required spray volume to achieve point of run-off may be determined by applying different test volumes, using different settings on the sprayer, from industry guidelines or other expert advice.
- Add the amount of product specified in the Directions for Use table for each 100 L of water. Spray to the point of run-off.
- The required dilute spray volume to achieve point of run-off will change and the sprayer set up and operation may also need to be changed, as the crop grows.

Concentrate Spraying

- Use a sprayer designed and set up for concentrate spraying (that is a sprayer which applies water volumes less than those required to reach the point of run-off) and matched to the crop being sprayed.
- Set up and operate the sprayer to achieve even coverage throughout the crop canopy using your chosen water volume.
- Determine an appropriate dilute spray volume (See Dilute Spraying above) for the crop canopy. This is needed to calculate the concentrate mixing rate.

- The mixing rate for concentrate spraying can then be calculated in the following way:

EXAMPLE ONLY

(i) Dilute spray volume as determined above: For example 1500 L/ha

(ii) Your chosen concentrate spray volume: For example 500 L/ha

(iii) The concentration factor in this example is: 3 X (i.e. $1500 \text{ L} \div 500 \text{ L} = 3$)

(iv) If the dilute label rate is 80 mL/100 L, then the concentrate rate becomes 3 x 80, that is 240 mL/100 L of concentrate spray.

The chosen spray volume, amount of product per 100 L of water, and the sprayer set up and operation may need to be changed as the crop grows.

Do not use a concentrate rate higher than that specified in the Critical Comments.

For further information on concentrate spraying, users are advised to consult relevant industry guidelines, undertake appropriate competency training and follow industry Best Practices.

RE-ENTRY PERIOD

DO NOT allow entry into treated areas until the spray has dried. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Dispose of rinsate or any undiluted chemical according to state/territory legislative requirements. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

When opening the container and preparing spray, wear elbow length PVC gloves. After each day's use, wash gloves. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non-excludable conditions or warranties of the Consumer and Competition Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

APVMA Approval No: 84344/110155

Batch No:

Date of Manufacture:

® = Registered trademark of BASF



The Chemical Company

BASF Australia Ltd
ABN 62 008 437 867
Level 12, 28 Freshwater Place
Southbank VICTORIA 3006

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS-AUSTRALIA WIDE.

BELANTY FUNGICIDE

75 g/L MEFENTRIFLUCONAZOLE

HAZARD STATEMENTS

To avoid risks to human health and the environment, comply with the instructions for use.

PRECAUTIONARY STATEMENTS (Prevention)

Contaminated work clothing should not be allowed out of the workplace.

PRECAUTIONARY STATEMENTS (Response)

Collect spillage