

# Safety data sheet

Page: 1/12

BASF Safety data sheet  
Date / Revised: 10.03.2019  
Product: **Seclira Pressurized Insecticide**

Version: 2.0

(30694860/SDS\_CPA\_AU/EN)

Date of print 04.09.2019

## 1. Substance/preparation and manufacturer/supplier identification

### Seclira Pressurized Insecticide

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)  
Level 12, 28 Freshwater Place Southbank  
Victoria 3006, AUSTRALIA  
Telephone: +61 3 8855-6600  
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]  
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:

Aspiration hazard: Cat. 2

Specific target organ toxicity — single exposure: Cat. 3 (Vapours may cause drowsiness and dizziness.)

Hazardous to the aquatic environment - acute: Cat. 3

Hazardous to the aquatic environment - chronic: Cat. 3

Aerosols: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:  
Danger

## Hazard Statement:

H222	Extremely flammable aerosol.
H305	May be harmful if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H229	Pressurized container: May burst if heated.

## Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

## Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

## Precautionary Statements (Response):

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331	Do NOT induce vomiting.

## Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P405	Store locked up.

## Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

### 3. Composition/information on ingredients

#### Chemical nature

Biocidal product, insecticide

BASF Safety data sheet  
Date / Revised: 10.03.2019  
Product: **Seclira Pressurized Insecticide**

Version: 2.0

(30694860/SDS\_CPA\_AU/EN)

Date of print 04.09.2019

#### Hazardous ingredients

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Content (W/W): 0.5 %

CAS Number: 165252-70-0

Acute Tox.: Cat. 4 (oral)

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

2-Propanone

Content (W/W): &lt; 35 %

CAS Number: 67-64-1

Asp. Tox.: Cat. 2

Flam. Liq.: Cat. 2

Eye Dam./Irrit.: Cat. 2A

STOT SE: Cat. 3 (drowsiness and dizziness)

STOT SE: Cat. 3 (irr. to respiratory syst.)

dimethyl ether

Content (W/W): &lt; 20 %

CAS Number: 115-10-6

Press. Gas: Cat. Liquef. Gas

Flam. gases (incl. chem. unstable gases): Cat. 1

carbon dioxide

Content (W/W): &lt; 3 %

CAS Number: 124-38-9

Press. Gas: Cat. Compr. Gas

---

## 4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
water spray, carbon dioxide, foam, dry powder

Specific hazards:  
carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides  
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:  
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

Personal precautions:  
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:  
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:  
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).  
For large amounts: Dike spillage. Pump off product.  
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:  
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

acetone, 67-64-1;

TWA value 250 ppm (ACGIHTLV)  
STEL value 500 ppm (ACGIHTLV)  
TWA value 1,185 mg/m<sup>3</sup> ; 500 ppm (AU NOEL)  
STEL value 2,375 mg/m<sup>3</sup> ; 1,000 ppm (AU NOEL)  
TWA value 1,185 mg/m<sup>3</sup> ; 500 ppm (OEL (AU))  
STEL value 2,375 mg/m<sup>3</sup> ; 1,000 ppm (OEL (AU))

dimethyl ether, 115-10-6;

STEL value 950 mg/m<sup>3</sup> ; 500 ppm (AU NOEL)  
TWA value 760 mg/m<sup>3</sup> ; 400 ppm (AU NOEL)  
STEL value 950 mg/m<sup>3</sup> ; 500 ppm (OEL (AU))  
TWA value 760 mg/m<sup>3</sup> ; 400 ppm (OEL (AU))

carbon dioxide, 124-38-9;

TWA value 5,000 ppm (ACGIHTLV)  
STEL value 30,000 ppm (ACGIHTLV)  
TWA value 9,000 mg/m<sup>3</sup> ; 5,000 ppm (AU NOEL)  
STEL value 54,000 mg/m<sup>3</sup> ; 30,000 ppm (AU NOEL)  
TWA value 9,000 mg/m<sup>3</sup> ; 5,000 ppm (OEL (AU))  
STEL value 54,000 mg/m<sup>3</sup> ; 30,000 ppm (OEL (AU))

### Personal protective equipment

Respiratory protection:  
Respiratory protection not required.

Hand protection:  
Hand protection not required.

Eye protection:  
Eye protection not required.

Body protection:  
Body protection not required.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form:	aerosol	
Colour:	colourless	
Odour:	of acetone	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 8 - 10 (23 °C)	
Melting point:	approx. -95 °C Information applies to the solvent.	
Boiling range:	approx. 56 - 57 °C Information applies to the solvent.	
Flash point:	< -20 °C	(Regulation 440/2008/EC, A.9)
Evaporation rate:	not applicable	
Flammability (solid/gas):	Extremely flammable.	
Lower explosion limit:	approx. 2 %(V) Information applies to the propellant.	
Upper explosion limit:	approx. 27 %(V) Information applies to the propellant.	
Ignition temperature:	630 °C	(Regulation 440/2008/EC, A.15)
Thermal decomposition:	No exothermic decomposition within the mentioned temperature range.	(DSC (OECD 113))
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.21)
Vapour pressure:	approx. 5330 hPa (20 °C) Information applies to the propellant.	
Density:	approx. 0.95 g/cm <sup>3</sup> (20 °C)	
Relative vapour density (air):	2 Information based on the main components.	
Solubility in water:	soluble	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	

BASF Safety data sheet  
Date / Revised: 10.03.2019  
Product: **Seclira Pressurized Insecticide**

Version: 2.0

(30694860/SDS\_CPA\_AU/EN)

Date of print 04.09.2019

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Partitioning coefficient n-octanol/water (log Pow): -0.549  
(25 °C)

-----  
Viscosity, dynamic: approx. 1.75 mPa.s  
(approx. 21 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: (DSC (OECD 113))  
No exothermic decomposition within the mentioned temperature range.

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg

LC50 rat (by inhalation): > 2.05 mg/l

No mortality was observed.

LD50 rat (dermal): > 5,000 mg/kg

### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

### **Respiratory/Skin sensitization**

Assessment of sensitization:  
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:  
modified Buehler test guinea pig:

### **Germ cell mutagenicity**

Assessment of mutagenicity:  
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### **Carcinogenicity**

Assessment of carcinogenicity:  
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### **Reproductive toxicity**

Assessment of reproduction toxicity:  
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acetone

Assessment of reproduction toxicity:  
As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

-----

### **Developmental toxicity**

Assessment of teratogenicity:  
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: carbon dioxide

Assessment of teratogenicity:  
The potential to cause toxicity to development cannot be excluded at maternally toxic doses.

-----

### **Specific target organ toxicity (single exposure):**

Assessment of STOT single:  
Possible narcotic effects (drowsiness or dizziness).



(30694860/SDS\_CPA\_AU/EN)

Date of print 04.09.2019

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acetone

Assessment of repeated dose toxicity:

The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Information on: carbon dioxide

Assessment of repeated dose toxicity:

The substance may cause damage to the lung after repeated inhalation of high doses. The substance may cause damage to the heart after repeated inhalation of high doses, as shown in animal studies.

### **Aspiration hazard**

The product has not been tested. The statement has been derived from the properties of the individual components.

May also damage the lung at swallowing (aspiration hazard).

### **Other relevant toxicity information**

Misuse can be harmful to health.

---

## **12. Ecological Information**

### **Ecotoxicity**

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, Mysidopsis bahia  
-----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Aquatic plants:  
EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata  
-----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Chronic toxicity to aquatic invertebrates:  
No observed effect concentration, 0.089 mg/l, Mysidopsis bahia  
-----

### **Mobility**

Assessment transport between environmental compartments:  
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Assessment transport between environmental compartments:  
Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.  
-----

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):  
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Assessment biodegradation and elimination (H<sub>2</sub>O):  
Not readily biodegradable (by OECD criteria).  
-----

### **Bioaccumulation potential**

Assessment bioaccumulation potential:  
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Assessment bioaccumulation potential:  
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.  
-----

### **Additional information**

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

### 13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Emptied gas pressure vessels must not be opened.

---

### 14. Transport Information

#### **Domestic transport:**

ID number: UN 1950  
Transport hazard class(es): 2.1  
Proper shipping name: AEROSOLS

#### **Further information**

IERG Number:49

#### **Sea transport**

IMDG

ID number: UN 1950  
Transport hazard class(es): 2.1  
Marine pollutant: NO  
Proper shipping name: AEROSOLS

#### **Air transport**

IATA/ICAO

ID number: UN 1950  
Transport hazard class(es): 2.1  
Proper shipping name: AEROSOLS, FLAMMABLE

---

### 15. Regulatory Information

#### **Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval No. 83032

---

---

BASF Safety data sheet  
Date / Revised: 10.03.2019  
Product: **Seclira Pressurized Insecticide**

Version: 2.0

---

(30694860/SDS\_CPA\_AU/EN)

Date of print 04.09.2019

## 16. Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.