

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 13.10.2021 Version: 6.0

Product: Aero® Fungicide

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

1. Substance/preparation and manufacturer/supplier identification

Aero® Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat. 5 (Inhalation - dust)

Acute toxicity: Cat. 4 (oral) Skin corrosion/irritation: Cat. 2

Specific target organ toxicity — repeated exposure (Skeletal muscle): Cat. 2

Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:







BASF Safety data sheet
Date / Revised: 13.10.2021

Version: 6.0

Product: Aero® Fungicide

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

Signal Word: Warning

Hazard Statement:

H315 Causes skin irritation. H333 May be harmful if inhaled. H302 Harmful if swallowed.

H373 May cause damage to organs (Skeletal muscle) through prolonged or

repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves. P260 Do not breathe dust.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P314 Get medical advice/attention if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P312 Call a POISON CENTER or physician if you feel unwell.

P330 Rinse mouth P391 Collect spillage.

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains: METIRAM

3. Composition/information on ingredients

Chemical nature

crop protection product, fungicide, water dispersible granules

BASF Safety data sheet Date / Revised: 13.10.2021

Product: Aero® Fungicide

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

Hazardous ingredients

metiram

Content (W/W): 55 % Skin Sens.: Cat. 1

CAS Number: 9006-42-2 STOT RE (Skeletal muscle): Cat. 2

Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1

Pyraclostrobin

Content (W/W): 5 % Acute Tox.: Cat. 3 (Inhalation - mist)

CAS Number: 175013-18-0 Skin Corr./Irrit.: Cat. 2

STOT SE: Cat. 3 (irr. to respiratory syst.)

Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 100 M-factor chronic: 10

sodium diisobutyl naphthalene sulphonate

Content (W/W): < 5 % Acute Tox.: Cat. 4 (Inhalation - dust)

CAS Number: 27213-90-7 Acute Tox.: Cat. 4 (oral) Eye Dam./Irrit.: Cat. 1

STOT SE: Cat. 3 (irr. to respiratory syst.)

Aquatic Acute: Cat. 3 Aquatic Chronic: Cat. 3

methenamine

Content (W/W): < 5 % Flam. Sol.: Cat. 2 CAS Number: 100-97-0 Skin Sens.: Cat. 1

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

BASF Safety data sheet
Date / Revised: 13.10.2021
Product: **Aero® Fungicide**

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons: carbon dioxide

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds, metal compounds, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

BASF Safety data sheet
Date / Revised: 13.10.2021
Product: **Aero® Fungicide**

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

Silica gel, precipitated, crystalline free, 112926-00-8;

TWA value 10 mg/m3 (AU NOEL), Inhalable dust

This value is for inhalable dust containing no asbestos and < 1% crystalline

silica.

TWA value 3 mg/m3 (ACGIHTLV), Respirable particles TWA value 10 mg/m3 (ACGIHTLV), Inhalable particles

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

BASF Safety data sheet Date / Revised: 13.10.2021 Version: 6.0

Product: Aero® Fungicide

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: solid Colour: brown Odour: aromatic

Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 5 - 7

(CIPAC standard water D, 1 %(m),

20 °C)

(as suspension)

onset of melting:

Boiling point:

> 120 °C

The product has not been tested.

Flash point:

not applicable

Evaporation rate:

not applicable

Flammability (solid/gas): not highly flammable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Thermal decomposition: 150 °C , 150 kJ/kg

(DSC (OECD 113))

(Directive 92/69/EEC, A.10)

Not a substance liable to selfdecomposition according to UN transport regulations, class 4.1.

Self ignition: Temperature: approx. 199 °C

(Method: Directive 92/69/EEC,

A.16

BASF Safety data sheet
Date / Revised: 13.10.2021
Version: 6.0

Product: Aero® Fungicide

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

Self heating ability: It is not a substance capable of

spontaneous heating according to UN transport regulations class 4.2.

Explosion hazard: not explosive (Directive 92/69/EEC, A.14) Fire promoting properties: not fire-propagating (Directive 92/69/EEC, A.17)

Vapour pressure:

not applicable

Density: approx. 1.67 g/cm3 (Directive 92/69/EEC, A.3)

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Information on: metiram

Partitioning coefficient n-octanol/water (log Pow): 0.33

(pH value: 7)

1.9

(pH value: 5)

-0.37

(pH value: 9)

Viscosity, dynamic:

not applicable, the product is a solid

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: 150 °C, 150 kJ/kg (DSC (OECD 113))

Thermal decomposition: Not a substance liable to self-decomposition according to

UN transport regulations, class 4.1.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

BASF Safety data sheet Date / Revised: 13.10.2021

Version: 6.0 Product: Aero® Fungicide

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5.6 mg/l 4 h (OECD Guideline 403) Tested as dust aerosol.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

BASF Safety data sheet
Date / Revised: 13.10.2021
Product: **Aero® Fungicide**

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs.

Information on: Pyraclostrobin

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Silica gel, precipitated, crystalline free

Assessment of repeated dose toxicity:

The substance may cause damage to the lung after repeated inhalation of high doses.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

BASF Safety data sheet
Date / Revised: 13.10.2021
Product: **Aero® Fungicide**

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

LC50 (96 h) 0.149 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 0.18 mg/l, Daphnia sp.

Aquatic plants:

EC50 (72 h) 0.25 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

EC10 (72 h) 0.08 mg/l (growth rate), Pseudokirchneriella subcapitata (static)

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Pyraclostrobin

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram

Assessment biodegradation and elimination (H2O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Information on: Pyraclostrobin

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metiram Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

BASF Safety data sheet Date / Revised: 13.10.2021

Product: Aero® Fungicide

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

Information on: Pyraclostrobin Bioaccumulation potential:

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)

Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Packing group: Ш

ID number: UN 3077 Transport hazard class(es): 9, EHSM

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper shipping name:

(contains METIRAM, PYRACLOSTROBIN)

Further information

Hazchem Code:2Z IERG Number:47

Sea transport

IMDG

Packing group: Ш

ID number: **UN 3077** Transport hazard class(es): 9, EHSM Marine pollutant: YES

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper shipping name:

(contains METIRAM, PYRACLOSTROBIN)

Air transport

IATA/ICAO

Packing group: Ш

UN 3077 ID number: Transport hazard class(es): 9, EHSM

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper shipping name:

BASF Safety data sheet
Date / Revised: 13.10.2021
Product: **Aero® Fungicide**

(30273185/SDS_CPA_AU/EN)

Date of print 25.11.2021

(contains METIRAM, PYRACLOSTROBIN)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval No.: 59616

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.