

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 31.03.2021

Product: **Delan® 700 WG Fungicide**

Version: 7.0

(30665432/SDS_CPA_AU/EN)

Date of print 04.02.2022

1. Substance/preparation and manufacturer/supplier identification

Delan® 700 WG Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat. 3 (oral)

Serious eye damage/eye irritation: Cat. 1

Skin sensitization: Cat. 1A

Carcinogenicity: Cat. 2

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet

Date / Revised: 31.03.2021

Product: **Delan® 700 WG Fungicide**

Version: 7.0

(30665432/SDS_CPA_AU/EN)

Date of print 04.02.2022

Signal Word:

Danger

Hazard Statement:

H318	Causes serious eye damage.
H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P261	Avoid breathing dust or fume.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P330	Rinse mouth
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

BASF Safety data sheet
Date / Revised: 31.03.2021
Product: **Delan® 700 WG Fungicide**

Version: 7.0

(30665432/SDS_CPA_AU/EN)

Date of print 04.02.2022

fungicide, water dispersible granules

Hazardous ingredients

Dithianon

Content (W/W): 70 %
CAS Number: 3347-22-6

Acute Tox.: Cat. 2 (Inhalation - dust)
Acute Tox.: Cat. 4 (oral)
Eye Dam./Irrit.: Cat. 1
Skin Sens.: Cat. 1A
Carc.: Cat. 2
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

carbon dioxide, water jet

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides, silicon oxides, cyanides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

Dust can form an explosive mixture with air. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

Kaolin, 1332-58-7;

TWA value 2 mg/m³ (ACGIHTLV), Respirable fraction

The value is for particulate matter containing no asbestos and <1% crystalline silica.

TWA value 10 mg/m³ (AU NOEL), Inhalable dust

This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

TWA value 10 mg/m³ (OEL (AU)), Inhalable dust

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

PVC-coated gloves

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Standard work clothes and shoes.

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

9. Physical and Chemical Properties

Form:	solid
Colour:	brown
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 3 - 5 (1 % (m), approx. 20 °C) (as suspension)
Melting point:	> 20 °C The statements are based on the properties of the individual components.
Boiling point:	The product is a non-volatile solid.

BASF Safety data sheet

Date / Revised: 31.03.2021

Product: **Delan® 700 WG Fungicide**

Version: 7.0

(30665432/SDS_CPA_AU/EN)

Date of print 04.02.2022

Flash point:	not applicable	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not highly flammable	(Regulation 440/2008/EC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Thermal decomposition:	150 °C , 550 kJ/kg (onset temperature)	(DSC (OECD 113))
	375 °C , > 250 kJ/kg (onset temperature)	(DSC (OECD 113))
Self ignition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. not self-igniting	(Method: Regulation 440/2008/EC, A.16)
Self heating ability:	It is not a substance capable of spontaneous heating.	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.17)
Vapour pressure:	The value has not be determined because of the high melting point.	
Bulk density:	528 - 600 kg/m ³ (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	

Viscosity, dynamic:
not applicable, the product is a solid

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition: 150 °C, 550 kJ/kg (DSC (OECD 113))
(onset temperature)

Thermal decomposition: 375 °C, > 250 kJ/kg (DSC (OECD 113))
(onset temperature)

Thermal decomposition: Not a substance liable to self-decomposition according to
UN transport regulations, class 4.1.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Of high toxicity after single ingestion.

Experimental/calculated data:
LD50 rat (oral): 273 mg/kg (Directive 84/449/EEC, B.1)

LC50 rat (by inhalation):
Not inhalable due to the physico-chemical properties of the product.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
May cause severe damage to the eyes. Not irritating to the skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: (Directive 84/449/EEC, B.4)

Serious eye damage/irritation rabbit: (Directive 84/449/EEC, B.5)

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from the properties of the individual components. Sensitization after skin contact possible.

Information on: Dithianon

Experimental/calculated data:

Guinea pig maximization test guinea pig: (OECD Guideline 406)

An aqueous solution was tested.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment of carcinogenicity:

Long term administration of organotoxic doses revealed a carcinogenic effect. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses which impaired body weight gain in parental animals.

Experiences in humans

Information on: Dithianon

Experimental/calculated data:
skin irritation, itching, erythema: Experiences in use

Specific target organ toxicity (single exposure):

Assessment of STOT single:
The available information is not sufficient for the evaluation of specific target organ toxicity.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon
Assessment of repeated dose toxicity:
Repeated exposure may affect certain organs. Damages the kidneys.

| Information on: Kaolin
| Assessment of repeated dose toxicity:
Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:
LC50 (96 h) 0.033 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

BASF Safety data sheet

Date / Revised: 31.03.2021

Product: **Delan® 700 WG Fungicide**

Version: 7.0

(30665432/SDS_CPA_AU/EN)

Date of print 04.02.2022

EC50 (48 h) 0.157 mg/l, *Daphnia magna*

Aquatic plants:

EC50 (72 h) 0.091 mg/l, *Selenastrum capricornutum*

Chronic toxicity to fish:

LC50 (28 d) 0.002 mg/l, *Oncorhynchus mykiss*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment biodegradation and elimination (H₂O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Bioaccumulation potential:

Bioconcentration factor: 28 (3 d), *Oncorhynchus mykiss* (OECD Guideline 305 E)

Does not accumulate in organisms.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

BASF Safety data sheet
Date / Revised: 31.03.2021
Product: **Delan® 700 WG Fungicide**

Version: 7.0

(30665432/SDS_CPA_AU/EN)

Date of print 04.02.2022

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Packing group: III
ID number: UN 2588
Transport hazard class(es): 6.1, EHSM
Proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (contains DITHIANON)

Further information

Hazchem Code:2X
IERG Number:34

Sea transport

IMDG

Packing group: III
ID number: UN 2588
Transport hazard class(es): 6.1, EHSM
Marine pollutant: YES
Proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (contains DITHIANON)

Air transport

IATA/ICAO

Packing group: III
ID number: UN 2588
Transport hazard class(es): 6.1
Proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (contains DITHIANON)

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

APVMA Approval No: 50029

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.