

Safety data sheet

Page: 1/14

BASF Safety data sheet
Date / Revised: 15.01.2023
Product: **Opus® 125 Fungicide**

Version: 3.0

(30645739/SDS_CPA_AU/EN)

Date of print): 15.01.2024

1. Substance/preparation and manufacturer/supplier identification

Product name:
Opus® 125 Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.4 (Inhalation - mist)
Skin corrosion/irritation: Cat.2
Carcinogenicity: Cat.2
Reproductive toxicity: Cat.2 (fertility)
Reproductive toxicity: Cat.2 (unborn child)
Hazardous to the aquatic environment - acute: Cat.1
Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:



Signal Word:
Warning

Hazard Statement:

H315	Causes skin irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P201	Obtain special instructions before use.
P260	Do not breathe mist or vapour.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains:

1,2-BENZISOTHIAZOL-3(2H)-ONE

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, fungicide, suspension concentrate (SC)

fungicide, suspension concentrate (SC)

Hazardous ingredients

| Epoxiconazole

Content (W/W): 12.02 %
 CAS Number: 133855-98-8

Acute Tox.: Cat. 5 (oral)
 Carc.: Cat. 2
 Repr.: Cat. 2 (fertility)
 Repr.: Cat. 2 (unborn child)
 Aquatic Acute: Cat. 1
 Aquatic Chronic: Cat. 1
 M-factor acute: 10
 M-factor chronic: 10

| Alcohols, C16-18, ethoxylated propoxylated

Content (W/W): < 30 %
 CAS Number: 68002-96-0

Acute Tox.: Cat. 2 (Inhalation - mist)
 Aquatic Acute: Cat. 1
 Aquatic Chronic: Cat. 3
 M-factor acute: 1

| solvent naphtha

Content (W/W): < 20 %
 CAS Number: 64742-94-5

Asp. Tox.: Cat. 1
 Aquatic Acute: Cat. 2
 Aquatic Chronic: Cat. 2

| 1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.01 %
 CAS Number: 2634-33-5

Acute Tox.: Cat. 4 (oral)
 Skin Corr./Irrit.: Cat. 2
 Eye Dam./Irrit.: Cat. 1
 Skin Sens.: Cat. 1
 Aquatic Acute: Cat. 1
 Aquatic Chronic: Cat. 1
 M-factor acute: 1
 M-factor chronic: 1

| propane-1,2-diol

Content (W/W): < 15 %
 CAS Number: 57-55-6

| Epoxiconazole

BASF Safety data sheet
Date / Revised: 15.01.2023
Product: **Opus® 125 Fungicide**

Version: 3.0

(30645739/SDS_CPA_AU/EN)

Date of print): 15.01.2024

Content (W/W): 12 %
CAS Number: 133855-98-8

Acute Tox.: Cat. 5 (oral)
Carc.: Cat. 2
Repr.: Cat. 2 (fertility)
Repr.: Cat. 2 (unborn child)
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 10
M-factor chronic: 10

| Alcohols, C16-18, ethoxylated propoxylated

Content (W/W): < 25 %
CAS Number: 68002-96-0

Acute Tox.: Cat. 2 (Inhalation - mist)
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 3
M-factor acute: 1

| Hydrocarbons, C10-C13, aromatics, <1% naphthalene ND [EXT]

Content (W/W): < 20 %
CAS Number: 64742-94-5

Asp. Tox.: Cat. 1
Aquatic Acute: Cat. 2
Aquatic Chronic: Cat. 2

| naphthalene

Content (W/W): < 0.15 %
CAS Number: 91-20-3

Flam. Sol.: Cat. 2
Acute Tox.: Cat. 4 (oral)
Carc.: Cat. 2
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 1
M-factor chronic: 1

4. First-Aid Measures

General advice:

| Remove contaminated clothing.

If inhaled:

| Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

| Wash thoroughly with soap and water

On contact with eyes:

| Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

BASF Safety data sheet
Date / Revised: 15.01.2023
Product: **Opus® 125 Fungicide**

Version: 3.0

(30645739/SDS_CPA_AU/EN)

Date of print): 15.01.2024

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, halogenated compounds
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure controls and personal protection

Components with occupational exposure limits

propane-1,2-diol, 57-55-6;

TWA value 474 mg/m³ ; 150 ppm (AU NOEL), Total vapour and particulates

TWA value 10 mg/m³ (AU NOEL), Particulate

TWA value 474 mg/m³ ; 150 ppm (OEL (AU)), Total vapour and particulates

TWA value 10 mg/m³ (OEL (AU)), Particulate

solvent naphtha, 64742-94-5;

Skin Designation (ACGIHTLV), Non-aerosol

Measured as: total hydrocarbon vapor

Danger of cutaneous absorption

TWA value 200 mg/m³ (ACGIHTLV), Non-aerosol

Measured as: total hydrocarbon vapor

Application restricted to conditions in which there are negligible aerosol exposures.

Epoxiconazole, 133855-98-8;

TWA value 0.05 mg/m³ (Recommendation of BASF)

Naphthalene, 1-methyl-, 90-12-0;

BASF Safety data sheet
 Date / Revised: 15.01.2023
 Product: **Opus® 125 Fungicide**

Version: 3.0

(30645739/SDS_CPA_AU/EN)

Date of print): 15.01.2024

TWA value 0.5 ppm (ACGIHTLV)
 Skin Designation (ACGIHTLV)
 Danger of cutaneous absorption

Naphthalene, 2-methyl-, 91-57-6;
 TWA value 0.5 ppm (ACGIHTLV)
 Skin Designation (ACGIHTLV)
 The substance can be absorbed through the skin.
 Skin Designation (ACGIHTLV)
 Danger of cutaneous absorption
 TWA value 0.5 ppm (ACGIHTLV)

Personal protective equipment

Respiratory protection:
 Respiratory protection in case of vapour/aerosol release.

Hand protection:
 PVC-coated gloves

Eye protection:
 Required when there is a risk of eye contact.

Body protection:
 Standard work clothes and shoes.

General safety and hygiene measures:
 Avoid contact with skin and eyes. Avoid inhalation of vapour. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash thoroughly after handling. Remove contaminated clothing immediately and clean before re-use or dispose it if necessary. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Form:	liquid	
Colour:	white	
Odour:	characteristic	
Odour threshold:	Not determined since harmful by inhalation.	
pH value:	approx. 7 - 9 (20 °C) (measured with the undiluted substance)	(pH Meter)
crystallization temperature:	approx. -12 °C	(measured)
Boiling point:	approx. 100 °C	(measured)
Flash point:	No flash point - Measurement made up to the boiling point.	(Directive 92/69/EEC, A.9)

Evaporation rate:	not applicable	
Flammability (solid/gas):	not flammable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	412 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)
Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.04 g/cm ³ (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	approx. 125 mPa.s (20 °C, 100 1/s)	(OECD 114)
Viscosity, kinematic:	approx. 87.4 mm ² /s (40 °C)	

Other Information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition., If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 2,000 mg/kg (OECD Guideline 401)
No mortality was observed.

Acute inhalation toxicity

LC50 rat (by inhalation): 3.25 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Assessment of acute toxicity

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Epoxiconazole

Assessment of carcinogenicity:

| Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs. Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 0.42 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 3.1 mg/l, *Daphnia magna* (static)

Aquatic plants:

EC50 (72 h) 1.52 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (72 h) 0.0072 mg/l (growth rate), *Pseudokirchneriella subcapitata*

Information on: Epoxiconazole

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.63 mg/l, *Daphnia magna* (OECD Guideline 202, part 2)

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole

Bioaccumulation potential:

Bioconcentration factor: 59 - 70, *Oncorhynchus mykiss* (OECD-Guideline 305)

Does not accumulate in organisms.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, ALCOHOL ALKOXYLATE)

Transport hazard class(es): 9, EHSM

Packing group: III

BASF Safety data sheet
Date / Revised: 15.01.2023
Product: **Opus® 125 Fungicide**

Version: 3.0

(30645739/SDS_CPA_AU/EN)

Date of print): 15.01.2024

Environmental hazards: yes
Special precautions for user: None known

Further information

Hazchem Code:3Z
IERG Number:47

Sea transport

IMDG

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, ALCOHOL ALKOXYLATE)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXICONAZOLE, ALCOHOL ALKOXYLATE)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

BASF Safety data sheet
Date / Revised: 15.01.2023
Product: **Opus® 125 Fungicide**

Version: 3.0

(30645739/SDS_CPA_AU/EN)

Date of print): 15.01.2024

Other regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Registration Number: 57982

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.