

# Safety data sheet

Page: 1/15

BASF Safety data sheet

Date / Revised: 15.01.2024

Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

## 1. Substance/preparation and manufacturer/supplier identification

### Product name:

**Poncho Plus Insect. Seed Treatment**

Use: crop protection product, insecticide

#### Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

#### Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.4 (oral)

Specific target organ toxicity — single exposure (Nervous system): Cat.2

Hazardous to the aquatic environment - acute: Cat.1

Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:



Signal Word:

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

## Warning

### Hazard Statement:

H302 Harmful if swallowed.  
H371 May cause damage to organs (Nervous system).  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.

### Precautionary Statements (Prevention):

P260 Do not breathe mist or vapour.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash contaminated body parts thoroughly after handling.

### Precautionary Statements (Response):

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 Rinse mouth.  
P391 Collect spillage.

### Precautionary Statements (Storage):

P405 Store locked up.

### Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains:

1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

---

## 3. Composition/information on ingredients

### Chemical nature

Substance nature: mixture

insecticide, product for seed treatment, Flowable concentrate for seed treatment ( FS )

### Hazardous ingredients

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

**CLOTHIANIDIN TECHNICAL**

Content (W/W): 28.21 %  
CAS Number: 210880-92-5

Acute Tox.: Cat. 4 (oral)  
STOT SE (Nervous system): Cat. 2  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 10  
M-factor chronic: 100

**2-Imidazolidinimine, 1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-**

Content (W/W): 19.05 %  
CAS Number: 138261-41-3

Acute Tox.: Cat. 3 (oral)  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 100  
M-factor chronic: 1000

**Glycerol**

Content (W/W): < 10 %  
CAS Number: 56-81-5

Acute Tox.: Cat. 5 (Inhalation - vapour)

**1,2-benzisothiazol-3(2H)-one**

Content (W/W): < 0.05 %  
CAS Number: 2634-33-5

Acute Tox.: Cat. 4 (oral)  
Skin Corr./Irrit.: Cat. 2  
Eye Dam./Irrit.: Cat. 1  
Skin Sens.: Cat. 1  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 1  
M-factor chronic: 1

**mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

Content (W/W): < 0.0015 %  
CAS Number: 55965-84-9

Acute Tox.: Cat. 3 (oral)  
Acute Tox.: Cat. 2 (Inhalation - mist)  
Acute Tox.: Cat. 2 (dermal)  
Skin Corr./Irrit.: Cat. 1C  
Eye Dam./Irrit.: Cat. 1  
Skin Sens.: Cat. 1A  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 100  
M-factor chronic: 100

**propane-1,2-diol**

Content (W/W): < 5 %  
CAS Number: 57-55-6

**CLOTHIANIDIN TECHNICAL**

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

Content (W/W): 28.57 %  
CAS Number: 210880-92-5

Acute Tox.: Cat. 4 (oral)  
STOT SE (Nervous system): Cat. 2  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 10  
M-factor chronic: 100

2-Imidazolidinimine, 1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-

Content (W/W): 19.05 %  
CAS Number: 138261-41-3

Acute Tox.: Cat. 4 (oral)  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 10  
M-factor chronic: 10

1,2-benzisothiazol-3(2H)-one

Content (W/W): > 0.05 % - < 0.5 %  
CAS Number: 2634-33-5

Acute Tox.: Cat. 4 (oral)  
Skin Corr./Irrit.: Cat. 2  
Eye Dam./Irrit.: Cat. 1  
Skin Sens.: Cat. 1  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 1  
M-factor chronic: 1

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): > 0.0002 % - <  
0.0015 %  
CAS Number: 55965-84-9

Acute Tox.: Cat. 3 (oral)  
Acute Tox.: Cat. 2 (Inhalation - mist)  
Acute Tox.: Cat. 2 (dermal)  
Skin Corr./Irrit.: Cat. 1C  
Eye Dam./Irrit.: Cat. 1  
Skin Sens.: Cat. 1A  
Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1  
M-factor acute: 100  
M-factor chronic: 100

---

## 4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, Dry sand

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon monoxide, hydrogen chloride, hydrogen cyanide, carbon dioxide, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

## 6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep away from food, drink and animal feeding stuffs.

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

glycerol, 56-81-5;

TWA value 10 mg/m<sup>3</sup> (AU NOEL), Inhalable mist

This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

TWA value 10 mg/m<sup>3</sup> (OEL (AU)), Inhalable dust

propane-1,2-diol, 57-55-6;

TWA value 474 mg/m<sup>3</sup> ; 150 ppm (AU NOEL), Total vapour and particulates

TWA value 10 mg/m<sup>3</sup> (AU NOEL), Particulate

TWA value 474 mg/m<sup>3</sup> ; 150 ppm (OEL (AU)), Total vapour and particulates

TWA value 10 mg/m<sup>3</sup> (OEL (AU)), Particulate

2-Imidazolidinimine, 1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-, 138261-41-3;

TWA value 0.7 mg/m<sup>3</sup> (BASF recomm. occupational exposure limit)

Guanidine, N-[(2-chloro-5-thiazolyl)methyl]-N'-methyl-N''-nitro-, [C(E)]-, 210880-92-5;

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

TWA value 1.56 mg/m<sup>3</sup> (BASF recomm. occupational exposure limit)  
BASF expert judgement  
TWA value 0.1 mg/m<sup>3</sup> (ACGIHTLV), Inhalable fraction

#### Personal protective equipment

Respiratory protection:  
Respiratory protection not required.

Hand protection:  
Chemical resistant protective gloves

Eye protection:  
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:  
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:  
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Avoid contact with skin and eyes. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

Form:	liquid
Colour:	red
Odour:	bitter almond-like
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 5 - 7 (deionized water, 1 %(m), 20 °C)
Melting point:	0 °C Information applies to the solvent.
Boiling point:	100 °C Information applies to the solvent.
Flash point:	Non-flammable.
Evaporation rate:	not applicable
Flammability (solid/gas):	not applicable

Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	375 °C	(Regulation 440/2008/EC, A.15)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.21)
Vapour pressure:	The product has not been tested.	
Density:	approx. 1.26 g/cm <sup>3</sup> (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	307.9 mPa.s (20 °C, 20 1/s) 108.4 mPa.s (20 °C, 100 1/s) 243.6 mPa.s (40 °C, 20 1/s) 80.81 mPa.s (40 °C, 100 1/s)	

**Other Information:**

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

**Conditions to avoid:**

Avoid extreme temperatures. Avoid direct sunlight.

Thermal decomposition: No decomposition if stored and handled as



prescribed/indicated.

Substances to avoid:  
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:  
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:  
The product is stable if stored and handled as prescribed/indicated.

Reactivity:  
No hazardous reactions if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:  
LD50rat (oral): 926 mg/kg (OECD Guideline 423)

#### Acute inhalation toxicity

LC50 rat (by inhalation): 2.7 mg/l 4 h (OECD Guideline 403)  
No mortality was observed. An aerosol was tested.

#### Acute dermal toxicity

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)  
No mortality was observed.

#### Assessment of acute toxicity

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.  
(Further) symptoms and / or effects are not known so far

#### Irritation

Assessment of irritating effects:  
Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

## **Respiratory/Skin sensitization**

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (similar to OECD guideline 429)

## **Germ cell mutagenicity**

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

## **Carcinogenicity**

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

## **Reproductive toxicity**

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

## **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

## **Specific target organ toxicity (single exposure)**

A single exposure may have relevant toxic effects on organs.

Target organ: Nervous system

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

## **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL

Assessment of repeated dose toxicity:

Repeated oral exposure to large quantities may affect certain organs. Based on available data, the classification criteria are not met.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

### Aspiration hazard

not applicable

### Other relevant toxicity information

Misuse can be harmful to health.

---

## 12. Ecological Information

### Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL

Toxicity to fish:

LC50 (96 h) > 104.2 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

Information on: imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine

Toxicity to fish:

LC50 (96 h) 211 mg/l, *Oncorhynchus mykiss*

Information on: CLOTHIANIDIN TECHNICAL

Aquatic invertebrates:

EC50 (48 h) 26 mg/l, *Daphnia magna* (OPP 72-2 (EPA-guideline), static)

EC50 (48 h) 0.029 mg/l, *Chironomus riparius* (static)

Information on: imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine

Aquatic invertebrates:

EC50 (48 h) 85 mg/l, *Daphnia magna*

EC50 (48 h) 0.0027 mg/l, *Chironomus riparius*

Information on: CLOTHIANIDIN TECHNICAL

Aquatic plants:

EC50 (72 h) > 120 mg/l (growth rate), *Pseudokirchneriella subcapitata* (static)

No observed effect concentration (72 h) 15 mg/l (growth rate), *Pseudokirchneriella subcapitata* (static)

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

EC50 (14 d) > 121 mg/l, Lemna gibba (other, semistatic)

No observed effect concentration (14 d) 59 mg/l, Lemna gibba (other, semistatic)

Information on: imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), Selenastrum capricornutum  
-----

Information on: CLOTHIANIDIN TECHNICAL

Chronic toxicity to fish:

No observed effect concentration (33 d) 20 mg/l, Pimephales promelas (OECD Guideline draft, Flow through.)  
-----

Information on: CLOTHIANIDIN TECHNICAL

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.12 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

EC10 (28 d), 0.0004 mg/l, Chironomus riparius (other, static)

Information on: imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine

Chronic toxicity to aquatic invertebrates:

EC10 (28 d), 0.00024 mg/l, Chironomus riparius  
-----

## Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.  
-----

## Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL

Assessment biodegradation and elimination (H<sub>2</sub>O):

Not readily biodegradable (by OECD criteria).

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

Information on: imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine  
Assessment biodegradation and elimination (H<sub>2</sub>O):  
Not readily biodegradable (by OECD criteria).

### **Bioaccumulation potential**

Assessment bioaccumulation potential:  
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: CLOTHIANIDIN TECHNICAL

Information on: imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)-N-nitroimidazolidin-2-ylidenamine  
Assessment bioaccumulation potential:  
Does not accumulate in organisms.

### **Additional information**

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

## **13. Disposal Considerations**

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:  
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## **14. Transport Information**

### **Domestic transport:**

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
  
Special precautions for user: None known

### **Further information**

Hazchem Code:3Z  
IERG Number:47

**Sea transport**  
IMDG

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (CLOTHIANIDIN SOLUTION)  
Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Marine pollutant: YES  
Special precautions for user: EmS: F-A; S-F

### **Air transport**

#### **IATA/ICAO**

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (CLOTHIANIDIN SOLUTION)  
Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

### **Further information**

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

---

## **15. Regulatory Information**

### **Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

---

BASF Safety data sheet  
Date / Revised: 15.01.2024  
Product: **Poncho Plus Insect. Seed Treatment**

Version: 5.1

(30740587/SDS\_CPA\_AU/EN)

Date of print: 18.01.2024

APVMA Approval No: 67779

**Registration status:**

AICIS, AU

Contains non-registered, non-listed substance., Individual registration may be required., Please contact your BASF representative.

---

## 16. Other Information

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.