



We create chemistry

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ILeVO[®]

Seed Treatment Fungicide

ACTIVE CONSTITUENT: 380 g/L



For the control of blackleg in canola when applied as a seed treatment as per the DIRECTIONS FOR USE table.

IMPORTANT: READ THE SAFETY DIRECTIONS BEFORE USING THIS PRODUCT

CONTENTS: 1 L – 1000 L

BASF Australia Ltd

ABN 62 008 437 867

Level 12, 28 Freshwater Place Southbank VICTORIA 3006

crop-solutions.basf.com.au

® Registered trademark of BASF

APVMA Approval No.: 85677/141790





We create chemistry

DIRECTIONS FOR USE

CROP	DISEASE	RATE	CRITICAL COMMENTS
Canola	Blackleg (<i>Leptosphaeria maculans</i>)	800 mL/100 kg of seed	<p>Apply with a seed treatment applicator designed for liquid seed treatments. Apply ILeVO undiluted or mixed with sufficient water to give even coverage of seed.</p> <p>ILeVO will reduce blackleg infection on the cotyledons and early leaves and will reduce lodging and stem infection later in the season.</p> <p>ILeVo must be used as part of a fully integrated disease management strategy incorporating tools such as planting varieties with higher blackleg resistance ratings and distancing the current crop from previous year canola stubble. Refer to current industry guidelines for further information and advice.</p>

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

Harvest: NOT REQUIRED WHEN USED AS DIRECTED

Grazing: DO NOT GRAZE CROPS GROWN FROM TREATED SEED, OR CUT FOR STOCK FOOD WITHIN 8 WEEKS OF SOWING

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI) – 20 DAYS

Livestock that have been grazing on crops grown from treated seed prior to crop harvest, or have been fed hay, haylage or silage from crops grown with treated seed, should be placed on clean feed for 20 days prior to export slaughter.

GENERAL INSTRUCTIONS

APPLICATION

Shake container well or use other agitation method to ensure thorough mixing of product before adding to application equipment. ILeVO should be applied undiluted or mixed with sufficient water to ensure even coverage of seed. The quantity of water used will vary depending on factors including type of equipment, quality of seed and other products mixed with ILeVO.

CLEANING UP APPLICATION EQUIPMENT

Equipment should be thoroughly cleaned with water after use of this product, and rinsings disposed of according to State / Territory legislative requirements. In the event of changing from this water based flowable formulation to a solvent-based liquid formulation, it is essential to rinse equipment with methylated spirits after thoroughly cleaning with water. If changing from a solvent based liquid to this water based flowable, thoroughly clean with methylated spirits then rinse with water. Failure to do so may result in clogging of equipment.

LABELLING OF TREATED SEED

Bags or other containers of treated seed should be clearly marked using printed sacks, labels or bag tags to indicate the contents have been treated with this product and with appropriate precautions.



We create chemistry

FUNGICIDE RESISTANCE WARNING

GROUP	7	FUNGICIDE
--------------	----------	------------------

ILeVO Seed Treatment Fungicide is a member of the succinate dehydrogenase inhibitor (SDHI) group of fungicides. For fungicide resistance management ILeVO is a Group 7 fungicide. Some naturally occurring individual fungi resistant to ILeVO and other Group 7 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group 7 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, BASF accepts no liability for any losses that result from failure of ILeVO Seed Treatment Fungicide to control resistant fungi.

PRECAUTIONS

When treated seed is stored it should be kept apart from other grain.

DO NOT use treated seed for human or animal consumption.

DO NOT allow treated seed to contaminate seed intended for human or animal consumption.

Bags which have held treated seed are not to be used for any other purpose.

Rehandling of treated seed

DO NOT allow re-handling of treated seed unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF LIVESTOCK

Seed treated with this product must not be used for animal consumption or poultry feed or mixed with animal feed. DO NOT allow seed treated with this product to contaminate seed intended for animal consumption.

PROTECTION OF WILDLIFE, FISH, CUSTACEANS AND ENVIRONMENT

Toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers or bags which have held treated seed. To protect birds and wild mammals, treated seed should not be left on the soil surface. Bury or remove spillages.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Do not store near foodstuffs or animal feed.

Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not re-use empty container for any other purpose.

SAFETY DIRECTIONS

May irritate the eyes. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. When opening the container, preparing product for use and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. Wash hands after use. After each day's use wash gloves and contaminated clothing.



We create chemistry

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126;

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS).

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non- excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

APVMA Approval No: 85677/141790

Batch No:

Date of Manufacture:

® = Registered trademark of BASF

© BASF 2024

* Other registered trademarks

BASF Australia Ltd

ABN 62 008 437 867

Level 12, 28 Freshwater Place

Southbank VICTORIA 3006

crop-solutions.basf.com.au

FOR SPECIALIST ADVICE IN AN

EMERGENCY ONLY

PHONE 1800 803 440

TOLL FREE - ALL HOURS - AUSTRALIA WIDE

Hazard statements in accordance with the Globally Harmonized System of Classification and Labelling (GHS).

Harmful if inhaled. May be harmful if swallowed or in contact with the skin. Toxic to aquatic life with long lasting effects. **Precautionary statement** If medical advice is needed have product container or label at hand. Keep out of reach of children. **Precautionary statement (Prevention)** Use only outdoors or in a well-ventilated area. Do not breath mist or vapour. **Precautionary statement (response)** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IN ON SKIND: Call a POISON CENTER or a doctor/physician if you feel unwell. Collect Spillage.