

Safety data sheet

Page: 1/13

BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

1. Substance/preparation and manufacturer/supplier identification

Product name:
Acrobat SC Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 23, 40 City Road, Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.4 (oral)
Reproductive toxicity: Cat.2 (fertility)
Reproductive toxicity: Cat.2 (unborn child)
Hazardous to the aquatic environment - acute: Cat.2
Hazardous to the aquatic environment - chronic: Cat.2

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Signal Word:
Warning

Hazard Statement:

H302 Harmful if swallowed.
H361 Suspected of damaging fertility. Suspected of damaging the unborn child.
H401 Toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face protection.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330 Rinse mouth
P308 + P313 IF exposed or concerned: Get medical attention.
P391 Collect spillage.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains:

| 1,2-BENZISOTHIAZOL-3(2H)-ONE

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients

Dimethomorph techn.

Content (W/W): 43.9 %
CAS Number: 110488-70-5

Acute Tox.: Cat. 5 (oral)
Repr.: Cat. 2 (fertility)
Repr.: Cat. 2 (unborn child)
Aquatic Acute: Cat. 2
Aquatic Chronic: Cat. 2

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxides, halogenated compounds, Phosphorus compounds, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

| propane-1,2-diol, 57-55-6;

BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

TWA value 474 mg/m³ ; 150 ppm (AU NOEL), Total vapour and particulates
TWA value 10 mg/m³ (AU NOEL), Particulate
TWA value 474 mg/m³ ; 150 ppm (OEL (AU)), Total vapour and particulates
TWA value 10 mg/m³ (OEL (AU)), Particulate

dimethomorph, 110488-70-5;

TWA value 0.67 mg/m³ (BASF recomm. occupational exposure limit)

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid
Colour: white
Odour: characteristic
Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 7 - 9
(CIPAC standard water D, 1 %(m), approx. 20 °C)

Freezing point: approx. 0 °C
Information applies to the solvent.

Boiling point: approx. 100 °C
Information applies to the solvent.

Flash point: Non-flammable.

Evaporation rate:	not applicable
Flammability (solid/gas):	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	Based on the water content the product does not ignite.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.
Vapour pressure:	approx. 23.4 hPa (20 °C) Information applies to the solvent.
Density:	approx. 1.15 g/cm ³ (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	dispersible
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
Information on: Dimethomorph techn.	
Partitioning coefficient n-octanol/water (log Pow):	2.63 - 2.73 (20 °C)

Viscosity, dynamic:	approx. 157 mPa.s (20 °C)

BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

Acute inhalation toxicity

LC50 rat (by inhalation): > 5.0 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment of acute toxicity

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization**Assessment of sensitization:**

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: (OECD Guideline 406)

Germ cell mutagenicity**Assessment of mutagenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity**Assessment of carcinogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity**Assessment of reproduction toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity**Assessment of teratogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of repeated dose toxicity:

The substance may cause damage to the prostate after repeated ingestion. Based on available data, the classification criteria are not met.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Toxicity to fish:

LC50 (96 h) 6.1 mg/l, *Oncorhynchus mykiss* (static)

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Aquatic invertebrates:

EC50 (48 h) > 7.92 mg/l, *Americamysis bahia* (OPP 72-2 (EPA-guideline), static)

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Aquatic plants:

EC50 (72 h) 82.2 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (72 h) 27.3 mg/l (growth rate), *Pseudokirchneriella subcapitata*

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Chronic toxicity to fish:

EC10 (60 d) 0.116 mg/l, *Oncorhynchus mykiss*

No observed effect concentration (34 d) 0.107 mg/l, *Pimephales promelas*

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.22 mg/l, *Daphnia magna*

EC10 (21 d), 0.421 mg/l, *Daphnia magna*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIMETHOMORPH)

Transport hazard class(es): 9, EHS

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

Further information

Hazchem Code:3Z

IERG Number:47

Sea transport

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIMETHOMORPH)

Transport hazard class(es): 9, EHS

Packing group: III

Environmental hazards: yes

Marine pollutant: YES

Special precautions for user: EmS: F-A; S-F

BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Air transport

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (DIMETHOMORPH)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information**Other regulations**

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval No: 62737

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 01.03.2023
Product: **Acrobat SC Fungicide**

Version: 8.0

(30306411/SDS_CPA_AU/EN)

Date of print: 17.09.2024

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.