

# Safety data sheet

Page: 1/12

BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

# 1. Substance/preparation and manufacturer/supplier identification

# Product name: Basagran® Post-Emergence Herbicide

Use: crop protection product, herbicide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 23, 40 City Road, Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

# 2. Hazard identification

Classification of the substance and mixture: Acute toxicity: Cat.4 (oral) Serious eye damage/eye irritation: Cat.2B Skin sensitization: Cat.1 Reproductive toxicity: Cat.2 (unborn child) Hazardous to the aquatic environment - acute: Cat.1 Hazardous to the aquatic environment - chronic: Cat.2

Label elements and precautionary statement:



Page: 2/12

BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

Signal Word

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

Warning		
Hazard Statement: H320 H302 H317 H361 H411 H400	Causes eye irritation. Harmful if swallowed. May cause an allergic skin reaction. Suspected of damaging the unborn child. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.	
Precautionary Statemen	t:	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	
Precautionary Statemen	ts (Prevention):	
P280	Wear protective gloves, protective clothing and eye protection or face	
P261	protection.	
P201	Avoid breathing mist or vapour or spray. Obtain special instructions before use.	
P201 P202	Do not handle until all safety precautions have been read and	
1 202	understood.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P270	Do not eat, drink or smoke when using this product.	
P264	Wash contaminated body parts thoroughly after handling.	
Precautionary Statemen		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
P333 + P313	If skin irritation or rash occurs: Get medical attention.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
P330	Rinse mouth.	
P308 + P313	IF exposed or concerned: Get medical attention.	
P362 + P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P337 + P313	If eye irritation persists: Get medical attention.	
Precautionary Statements (Storage):		
P405	Store locked up.	
Precautionary Statements (Disposal):		

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Page: 3/12

BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

# 3. Composition/information on ingredients

#### Chemical nature

Substance nature: mixture

crop protection product, herbicide, Soluble concentrate (SL)

#### Hazardous ingredients

1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Content (W/W): 44 % Acute Tox.: Cat. 4 (oral) CAS Number: 50723-80-3 Eye Dam./Irrit.: Cat. 2A Skin Sens.: Cat. 1 Repr.: Cat. 2 (unborn child)

# 4. First-Aid Measures

General advice: Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 2

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician: Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Specific hazards: carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides

Page: 4/12

#### BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

### 6. Accidental Release Measures

#### Personal precautions:

Do not breathe vapour/spray.Use personal protective clothing.Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 7. Handling and Storage

<u>Handling</u>

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion: No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

#### Storage

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C The product can crystallize below the limit temperature. Protect from temperatures above: 40 °C Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Page: 5/12

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

# 8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

#### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	liquid yellow to red to brown fruity, faint odour Not determined due to potential health hazard by inhalation.
pH value:	approx. 6 - 7 (CIPAC standard water D, 1 %(m), 20 °C)
Melting point:	approx. 0 °C (1,013.3 hPa) Information applies to the solvent.
Boiling point:	approx. 100 °C (1,013.3 hPa) Information applies to the solvent.

Page: 6/12

#### BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024 (ISO 2719) No flash point - Measurement made up to the boiling point. Evaporation rate: not applicable Flammability (solid/gas): not applicable Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. 555 °C Ignition temperature: (Directive 92/69/EEC, A.15) (DSC (OECD 113)) Thermal decomposition: 160 °C , 190 kJ/kg (onset temperature) Not a substance liable to selfdecomposition according to UN transport regulations, class 4.1. > 75 °C Explosion hazard: Based on the chemical structure there is no indication of explosive properties. Fire promoting properties: Based on its structural properties the product is not classified as oxidizing. Vapour pressure: approx. 23.4 hPa Information applies to the solvent. (OECD Guideline 109) approx. 1.19 g/cm3 (20 °C) Relative vapour density (air): not applicable Solubility in water: fully soluble Partitioning coefficient n-octanol/water (log Pow): The statements are based on the properties of the individual components. Information on: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

Partitioning coefficient n-octanol/water (log Pow): 0.77 (pH value: 5)

\_\_\_\_\_

Flash point:

SADT:

Density:

Version: 8.0

Page: 7/12

BASF Safety data sheet Date / Revised: 08.09.2023 Product: **Basagran® Post-Emergence Herbicide** 

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

Viscosity, dynamic:	approx. 9 mPa.s (20 °C, 100 1/s) 5 2 mPa s	(OECD 114)
	5.3 mPa.s (40 °C, 100 1/s)	

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

#### **10. Stability and Reactivity**

Conditions to avoid: See SDS section 7 - Handling and storage.

Thermal decomposition:	160 °C, 190 kJ/kg (DSC (OECD 113)) (onset temperature)
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid: strong bases, strong acids, strong oxidizing agents

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability: The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

# **11. Toxicological Information**

#### **Routes of exposure**

#### Acute oral toxicity

Experimental/calculated data: LD50rat (oral): > 1,000 - < 2,000 mg/kg (OECD Guideline 401)

#### Acute inhalation toxicity

LC50 rat (by inhalation): > 4.8 mg/l 4 h (OECD Guideline 403) No mortality was observed. An aerosol was tested.

#### Acute dermal toxicity

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402) No mortality was observed.

Assessment of acute toxicity

Page: 8/12

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

#### Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

#### Irritation

Assessment of irritating effects: Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: Irritant.

#### **Respiratory/Skin sensitization**

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Experimental/calculated data: Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

-----

#### Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Carcinogenicity

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

#### **Reproductive toxicity**

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

#### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Page: 9/12

#### BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

\_\_\_\_\_

# Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

# Aspiration hazard

No aspiration hazard expected.

# Other relevant toxicity information

Misuse can be harmful to health.

# **12. Ecological Information**

#### Ecotoxicity

Assessment of aquatic toxicity: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Toxicity to fish: LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Aquatic invertebrates: EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Aquatic plants: EC50 (72 h) 34.5 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 9 mg/l, Pseudokirchneriella subcapitata

Page: 10/12

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

EC50 (14 d) 0.595 mg/l, aquatic plant

EC10 (14 d) 0.172 mg/l, aquatic plant

No observed effect concentration 0.278 mg/l, aquatic plant

EC50 (14 d) 3.48 mg/l, aquatic plant

EC10 (14 d) 0.5 mg/l, aquatic plant

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Chronic toxicity to fish: No observed effect concentration (35 d) > 9.16 mg/l, Pimephales promelas

\_\_\_\_\_

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d), > 91.6 mg/l, Daphnia magna

\_\_\_\_\_

#### Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment transport between environmental compartments: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

#### **Bioaccumulation potential**

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

-----

Page: 11/12

BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

# Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

# **13. Disposal Considerations**

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# 14. Transport Information

#### Domestic transport:

	UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)
ļ	Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes
	Special precautions for user:	None known
	Further information Hazchem Code:3Z IERG Number:47	
	<b>Sea transport</b> IMDG	
	INDG	
]	UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)
	UN number or ID number:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE
	UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT) 9, EHSM III yes

# Air transport

UN number or ID number: UN 3082

Page: 12/12

#### BASF Safety data sheet Date / Revised: 08.09.2023 Product: Basagran® Post-Emergence Herbicide

Version: 8.0

(30661564/SDS\_CPA\_AU/EN) Date of print: 17.09.2024

UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)
Transport hazard class(es):	9, EHSM
Packing group:	
Environmental hazards:	yes
Special precautions for	None known
user.	

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# 15. Regulatory Information

#### **Other regulations**

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval No: 31608

**Registration status:** 

AICIS, AU

Listed in AIIC.

# 16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.