

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 03.08.2022

Product: **Delan® 700 WG Fungicide**

Version: 7.1

(30665432/SDS_CPA_AU/EN)

Date of print): 17.09.2024

1. Substance/preparation and manufacturer/supplier identification

Product name: Delan® 700 WG Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 23, 40 City Road, Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.3 (oral)

Serious eye damage/eye irritation: Cat.1

Skin sensitization: Cat.1

Carcinogenicity: Cat.2

Hazardous to the aquatic environment - acute: Cat.1

Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:



Signal Word:
Danger

Hazard Statement:

H318 Causes serious eye damage.
H301 Toxic if swallowed.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face protection.
P201 Obtain special instructions before use.
P261 Avoid breathing dust or fume.
P202 Do not handle until all safety precautions have been read and understood.
P272 Contaminated work clothing should not be allowed out of the workplace.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or physician.
P308 + P313 IF exposed or concerned: Get medical attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P330 Rinse mouth
P391 Collect spillage.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

BASF Safety data sheet
Date / Revised: 03.08.2022
Product: **Delan® 700 WG Fungicide**

Version: 7.1

(30665432/SDS_CPA_AU/EN)

Date of print): 17.09.2024

fungicide, water dispersible granules

Hazardous ingredients

Dithianon

Content (W/W): 70 %
CAS Number: 3347-22-6

Acute Tox.: Cat. 2 (Inhalation - dust)
Acute Tox.: Cat. 4 (oral)
Eye Dam./Irrit.: Cat. 1
Skin Sens.: Cat. 1A
Carc.: Cat. 2
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 100
M-factor chronic: 10

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

carbon dioxide, water jet

BASF Safety data sheet
Date / Revised: 03.08.2022
Product: **Delan® 700 WG Fungicide**

Version: 7.1

(30665432/SDS_CPA_AU/EN)

Date of print): 17.09.2024

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides, silicon oxides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

Dust can form an explosive mixture with air. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

Kaolin, 1332-58-7;

TWA value 2 mg/m³ (ACGIHTLV), Respirable fraction

The value is for particulate matter containing no asbestos and <1% crystalline silica.

TWA value 10 mg/m³ (AU NOEL), Inhalable dust

This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

TWA value 10 mg/m³ (OEL (AU)), Inhalable dust

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

PVC-coated gloves

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Standard work clothes and shoes.

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

9. Physical and Chemical Properties

Form: solid
Colour: brown
Odour: characteristic
Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 3 - 5
(1 %(m), approx. 20 °C)
(as suspension)

Melting point: > 20 °C
The statements are based on the properties of the individual components.

BASF Safety data sheet
Date / Revised: 03.08.2022
Product: **Delan® 700 WG Fungicide**

Version: 7.1

(30665432/SDS_CPA_AU/EN)

Date of print): 17.09.2024

Boiling point:	The product has not been tested.	
Flash point:	not applicable	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not highly flammable	(Regulation 440/2008/EC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Self ignition:	not self-igniting	(Method: Regulation 440/2008/EC, A.16)
Self heating ability:	It is not a substance capable of spontaneous heating.	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.17)
Vapour pressure:	The value has not be determined because of the high melting point.	
Bulk density:	528 - 600 kg/m ³ (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	not applicable, the product is a solid	

10. Stability and Reactivity

Conditions to avoid:
See SDS section 7 - Handling and storage.

Thermal decomposition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): 273 mg/kg (Directive 84/449/EEC, B.1)

Acute inhalation toxicity

LC50 rat (by inhalation):
Not inhalable due to the physico-chemical properties of the product.

Acute dermal toxicity

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Assessment of acute toxicity

Of pronounced toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
May cause severe damage to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (Directive 84/449/EEC, B.4)

Serious eye damage/irritation rabbit: (Directive 84/449/EEC, B.5)

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from the properties of the individual components. Sensitization after skin contact possible.

Information on: Dithianon

Experimental/calculated data:

Guinea pig maximization test guinea pig: (OECD Guideline 406)

An aqueous solution was tested.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses which impaired body weight gain in parental animals.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. Damages the kidneys.

Information on: Kaolin

Assessment of repeated dose toxicity:

Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 0.033 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

EC50 (48 h) 0.157 mg/l, *Daphnia magna*

Aquatic plants:

EC50 (72 h) 0.091 mg/l, *Selenastrum capricornutum*

Chronic toxicity to fish:

LC50 (28 d) 0.002 mg/l, *Oncorhynchus mykiss*

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Assessment biodegradation and elimination (H₂O):

According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dithianon

Bioaccumulation potential:

Bioconcentration factor: 28 (3 d), *Oncorhynchus mykiss* (OECD Guideline 305 E)

Does not accumulate in organisms.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN 2588

UN proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (DITHIANON)

Transport hazard class(es): 6.1, EHSM

Packing group: III

Environmental hazards: yes

BASF Safety data sheet
Date / Revised: 03.08.2022
Product: **Delan® 700 WG Fungicide**

Version: 7.1

(30665432/SDS_CPA_AU/EN)

Date of print): 17.09.2024

Special precautions for user: None known

Further information

Hazchem Code:2X
IERG Number:34

Sea transport

IMDG

UN number or ID number: UN 2588
UN proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (DITHIANON)
Transport hazard class(es): 6.1, EHSM
Packing group: III
Environmental hazards: yes
 Marine pollutant: YES
Special precautions for user: EmS: F-A; S-A

Air transport

IATA/ICAO

UN number or ID number: UN 2588
UN proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (DITHIANON)
Transport hazard class(es): 6.1
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

15. Regulatory Information

Other regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

APVMA Approval No: 50029

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.