

Safety data sheet

Page: 1/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

1. Substance/preparation and manufacturer/supplier identification

Product name: Revystar® Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 23, 40 City Road, Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture: Acute toxicity: Cat.4 (oral) Acute toxicity: Cat.4 (Inhalation - mist) Skin corrosion/irritation: Cat.2 Serious eye damage/eye irritation: Cat.2B Skin sensitization: Cat.1 Reproductive toxicity: Cat.Additional category for effects on or via lactation. Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system) Hazardous to the aquatic environment - acute: Cat.2 Hazardous to the aquatic environment - chronic: Cat.2

Label elements and precautionary statement:

Pictogram:

Page: 2/15

Version: 4.0

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

> (30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Signal Word: Warning Hazard Statement: H320 Causes eve irritation. H315 Causes skin irritation. May cause an allergic skin reaction. H317 H362 May cause harm to breast-fed children. H335 May cause respiratory irritation. H302 + H332 Harmful if swallowed or if inhaled. H401 Toxic to aquatic life. Toxic to aquatic life with long lasting effects. H411 **Precautionary Statement:** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. Precautionary Statements (Prevention): P280 Wear protective gloves. Use only outdoors or in a well-ventilated area. P271 P260 Do not breathe dust/mist/vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P270 Do not eat, drink or smoke when using this product. P263 Avoid contact during pregnancy and while nursing. P264 Wash contaminated body parts thoroughly after handling. Precautionary Statements (Response): P312 Call a POISON CENTER or physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Wash with plenty of soap and water. P302 + P352 P333 + P313 If skin irritation or rash occurs: Get medical attention. P330 Rinse mouth. P308 + P313 IF exposed or concerned: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P337 + P313 If eye irritation persists: Get medical attention. Precautionary Statements (Storage): P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. Precautionary Statements (Disposal): P501 Dispose of contents and container to hazardous or special waste collection point. Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN)

Date of print: 17.09.2024

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, fungicide, Emulsifiable concentrate (EC)

Hazardous ingredients

1H-1,2,4-Triazole-1-ethanol, α-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-α-methyl-Content (W/W): 9.85 % Skin Sens.: Cat. 1 CAS Number: 1417782-03-6 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 1

M-factor acute: 1 M-factor chronic: 1

Fluxapyroxad Content (W/W): 4.93 % CAS Number: 907204-31-3

Repr.: Cat. Add. cat. lact. Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 1 M-factor chronic: 1

mixture of N,N-Dimethyldecan-1-amide and 2-Propenoic acid, 2-methyl-, polymer with tert-Bu acrylate, Me methacrylate, polyethylene glycol methacrylate C16-18-alkyl ethers and vinylpyrrolidone, tert-Bu 2-ethylhexaneperoxoate-initiated, compds. with 2-amino-2-methyl-1-propanol

0	
Content (W/W): < 30 %	Skin Corr./Irrit.: Cat. 2 Eye Dam./Irrit.: Cat. 1 Skin Sens.: Cat. 1 STOT SE: Cat. 3 (irr. to respiratory syst.) Aquatic Acute: Cat. 2 Aquatic Chronic: Cat. 3
mide, N,N-dimethyl-	
Contont $(M/M/)$: $< 20.9/$	Acuto Tox : Cat 5 (aral)

Octanamide, N,N-dimethyl-Content (W/W): < 20 % CAS Number: 1118-92-9

Acute Tox.: Cat. 5 (oral) Acute Tox.: Cat. 5 (dermal) Skin Corr./Irrit.: Cat. 2 Eye Dam./Irrit.: Cat. 1 STOT SE: Cat. 3 (irr. to respiratory syst.) Aquatic Acute: Cat. 2

Ethanone, 1-phenyl-

Page: 4/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Content (W/W): < 10 % CAS Number: 98-86-2	Asp. Tox.: Cat. 2 Acute Tox.: Cat. 4 (oral) Acute Tox.: Cat. 5 (dermal) Eye Dam./Irrit.: Cat. 2A Aquatic Acute: Cat. 3
--	--

Poly(oxy-1,2-ethanediyl), .alpha[tris(1-	-phenylethyl)phenyl]omegahydroxy-
Content (W/W): < 10 %	Acute Tox.: Cat. 5 (oral)
CAS Number: 99734-09-5	Aquatic Acute: Cat. 3
	Aquatic Chronic: Cat. 3

Hydrocarbons, C10-C13, aromatics, <1% naphthalene Content (W/W): < 10 % Asp. Tox.: Cat. 1 CAS Number: 64742-94-5 Aquatic Acute: Cat. 2 Aquatic Chronic: Cat. 2

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Page: 5/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Specific hazards: carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, halogenated compounds The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray.Use personal protective clothing.Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil.Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

<u>Handling</u>

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 36 Months

Protect from temperatures below: -10 °C

Page: 6/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time. Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

Ethanone, 1-phenyl-, 98-86-2; TWA value 10 ppm (ACGIHTLV)

solvent naphtha, 64742-94-5;

Skin Designation (ACGIHTLV), Non-aerosol Measured as: total hydrocarbon vapor Danger of cutaneous absorption TWA value 200 mg/m3 (ACGIHTLV), Non-aerosol Measured as: total hydrocarbon vapor Application restricted to conditions in which there are negligible aerosol exposures.

Naphthalene, 1-methyl-, 90-12-0; Skin Designation (ACGIHTLV) Danger of cutaneous absorption TLV-SL (ACGIHTLV) TWA value 0.05 ppm (ACGIHTLV)

Naphthalene, 2-methyl-, 91-57-6; TWA value 0.5 ppm (ACGIHTLV) Skin Designation (ACGIHTLV) The substance can be absorbed through the skin. Skin Designation (ACGIHTLV) Danger of cutaneous absorption TLV-SL (ACGIHTLV) TWA value 0.05 ppm (ACGIHTLV)

Fluxapyroxad, 907204-31-3;

TWA value 0.5 mg/m3 (BASF recomm. occupational exposure limit)

1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl-, 1417782-03-6;

TWA value 0.68 mg/m3 (BASF recomm. occupational exposure limit)

Ethanone, 1-phenyl-, 98-86-2; TWA value 10 ppm (ACGIHTLV)

Page: 7/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

solvent naphtha, 64742-94-5;

Skin Designation (ACGIHTLV), Non-aerosol Measured as: total hydrocarbon vapor Danger of cutaneous absorption TWA value 200 mg/m3 (ACGIHTLV), Non-aerosol Measured as: total hydrocarbon vapor Application restricted to conditions in which there are negligible aerosol exposures.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	liquid dark yellow mild, aromatic Not determined since harmful by inhalation.
pH value:	approx. 5 - 7 (CIPAC standard water D, 1 %(m), 23 °C)
Freezing point: Boiling point:	< -20 °C > 190 °C The statements are based on the properties of the individual components.
Flash point:	112 °C

Page: 8/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Evaporation rate:	not applicable	
Flammability (solid/gas):		
Lower explosion limit: Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. 380 °C	
Thermal decomposition:	320 °C , 20 kJ/kg	(DSC (OECD 113))
Explosion hazard: Fire promoting propertie	(onset temperature) Not a substance liable to self- decomposition according to UN transport regulations, class 4.1. not explosive s: not fire-propagating	
Vapour pressure:	approx. 0.45 hPa (25 °C) Information applies to the solvent.	
Density:	approx. 1.02 g/cm3 (20 °C)	
Relative vapour density		
Solubility in water: Partitioning coefficient n	emulsifiable -octanol/water (log Pow): not applicable	
Viscosity, dynamic:	approx. 76 mPa.s (20 °C, 100 1/s)	(OECD Guideline 114)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid: See SDS section 7 - Handling and storage.

Page: 9/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN)

Date of print: 17.09.2024

Thermal decomposition:	320 °C, 20 kJ/kg (DSC (OECD 113)) (onset temperature)
Thermal decomposition:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data: LD50rat (oral): > 300 - < 2,000 mg/kg (OECD Guideline 423)

Acute inhalation toxicity

LC50 rat (by inhalation): > 1.9 - < 5.1 mg/l 4 h (OECD Guideline 403) An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (Limit test) No mortality was observed.

Assessment of acute toxicity

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation.

Experimental/calculated data: Skin corrosion/irritation In vitro assay: Irritant. (OECD Guideline 439)

Page: 10/15

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Serious eye damage/irritation: irreversible damage (OECD Guidelines 437/492 (BCOP/EpiOcular))

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Experimental/calculated data: Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (similar to OECD guideline 429)

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1yl)propan-2-ol; mefentrifluconazole Assessment of sensitization: Sensitization after skin contact possible.

Information on: 2-Propenoic acid, 2-methyl-, polymer with tert-Bu acrylate, Me methacrylate, polyethylene glycol methacrylate C16-18-alkyl ethers and vinylpyrrolidone, tert-Bu 2ethylhexaneperoxoate-initiated, compds. with 2-amino-2-methyl-1-propanol Assessment of sensitization: Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Page: 11/15

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N,N-Dimethyldecan-1-amide Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: N,N-Dimethyloctanamide

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: 2-pyrrolidone Assessment of teratogenicity: Causes developmental effects in animals at high, maternally toxic doses. Due to the low potency of 2-Pyrrolidone, a Specific Concentration Limit (SCL) of 3 % was derived for developmental toxicity.

Specific target organ toxicity (single exposure)

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1yl)propan-2-ol; mefentrifluconazole Assessment of repeated dose toxicity:

Repeated oral exposure to large quantities may affect certain organs. Liver Based on available data, the classification criteria are not met.

Information on: Fluxapyroxad Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: N,N-Dimethyloctanamide Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. After repeated exposure the prominent effect is local irritation.

Information on: N,N-Dimethyldecan-1-amide Assessment of repeated dose toxicity:

Page: 12/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. After repeated exposure the prominent effect is local irritation.

Information on: 2-pyrrolidone Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity: Toxic to aquatic life with long lasting effects.

Toxicity to fish: LC50 (96 h) 1.14 mg/l, Oncorhynchus mykiss (static)

Aquatic invertebrates: EC50 (48 h) 2.56 mg/l, Daphnia magna

Aquatic plants: EC50 (72 h) 29.319 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 1.816 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1yl)propan-2-ol; mefentrifluconazole Chronic toxicity to fish: No observed effect concentration (36 d) 0.027 mg/l, Brachydanio rerio

Information on: Fluxapyroxad Chronic toxicity to fish: No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1yl)propan-2-ol; mefentrifluconazole Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d), 0.01 mg/l, Daphnia magna

Information on: Fluxapyroxad Chronic toxicity to aquatic invertebrates:

Page: 13/15

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

No observed effect concentration (21 d), 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1yl)propan-2-ol; mefentrifluconazole Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Fluxapyroxad

Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Information on: Fluxapyroxad Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1yl)propan-2-ol; mefentrifluconazole Bioaccumulation potential: Bioconcentration factor: 385 Does not accumulate in organisms.

Information on: Fluxapyroxad Bioaccumulation potential: Bioconcentration factor: 36 - 37 (28 d), Lepomis macrochirus (OECD Guideline 305) Does not accumulate in organisms.

Additional information

Page: 14/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: Revystar® Fungicide

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:	

LIN number or ID number	
UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (TRIAZOLE DERIVATIVE, FLUXAPYROXAD)
Transport hazard class(es):	9, EHSM
Packing group:	
Environmental hazards:	yes
Special precautions for	None known
user:	

Further information

Hazchem Code:3Z IERG Number:47

Sea transport IMDG	
UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIAZOLE DERIVATIVE, FLUXAPYROXAD)
Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F
Air transport IATA/ICAO	
UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIAZOLE DERIVATIVE, FLUXAPYROXAD)
Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes

Page: 15/15

BASF Safety data sheet Date / Revised: 04.04.2024 Product: **Revystar® Fungicide**

Version: 4.0

(30715322/SDS_CPA_AU/EN) Date of print: 17.09.2024

Special precautions for None known user:

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Other regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

APVMA Approval No.: 93947

To avoid risks to man and the environment, comply with the instructions for use.

Registration status:

AICIS, AU

Contains non-registered, non-listed substance., Individual registration may be required., Please contact your BASF representative.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.