

ROOT NODULE BACTERIA

STORE IN A COOL PLACE

Nodulaid®

A potent inoculant for nitrogen fixation and increased yields

IMPORTANT: READ THE SAFETY DIRECTIONS BEFORE USING THIS PRODUCT

CONTENTS: 1.25kg

BASF Australia Ltd

ABN 62 008 437 867 Level 23, 40 City Road, Southbank VICTORIA 3006 <u>crop-solutions.basf.com.au</u>

® Registered trademark of BASF

Customer Service Hotline: 1800 558 399



DIRECTIONS FOR USE

SLURRY INOCULATION

- 1. Prepare a slurry by mixing the entire contents of this pack into 5 litres of cool, clean water.
- 2. Stir to ensure inoculant is thoroughly dispersed. Wait for a minimum of 15 minutes, stirring occasionally to allow inoculant adhesive to dissolve.
- 3. Pour slurry over the correct weight of seed and mix until all seeds are wet. Mixing can be done in a clean concrete mixer or similar vessel, or added to seed during transfer stages, e.g. auguring seed.
- 4. Use the slurry mix within 24 hours. Sow inoculated seed as soon as possible or store for up to 3 days in a COOL place, away from sunlight.

FURROW APPLICATION INSTRUCTIONS

- 1. Prepare in furrow solution directly in a clean liquid injection cart.
- 2. Fill cart with cool, clean water and either add the Nodulaid directly to the water and mix well or place the Nodulaid into a porous bag (eg calico) and suspend inside the tank while filling to prevent blockages.
- 3. Apply at 50-100L/Ha.
- 4. Use solution within 24hrs.
- 5. Ensure filters are 80 mesh or coarser and nozzles > 0.2mm are used to avoid blockages.

APPLICATION RATES

Group	Сгор	Maximum weight of seeds treated (kg) per 1.25kg pack
E	Split Pea, Field Pea and Vetch Seeds	500kg
	Lentil	250kg
F	Faba Bean and Broad Bean	500kg
G	Lupin Seed and Serradella Pods	500kg
	Yellow, Pink, Hybrid and Slender	
	Serradella Seeds	250kg
N	Chickpea	500kg

PRECAUTIONS

Store this pack of inoculant in a COOL place. Do not store opened packs of inoculant. Do not use out-of-date inoculants. Avoid contact with the eyes - may cause irritation. Avoid inhaling dust - may cause irritation.

PESTICIDES

Most pesticides are toxic to inoculants. Do not use any vessel which has contained poisonous sprays or dusts. Check with your State Department of Agriculture or BASF for compatibility.

FERTILIZERS

Slurry inoculated seed should never be mixed with very acid or alkaline fertilizer which will KILL the inoculant bacteria. Excessive use of starter Nitrogen fertilizer, or high levels of soil nitrate can delay or reduce nodulation.



SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS).

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd ABN 62008437867 or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

BASF Australia Ltd

ABN 62 008 437 867 Level 23, 40 City Road Southbank VICTORIA 3006, AUSTRALIA

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS AUSTRALIA WIDE

This product does not require classification according to GHS criteria