

Safety data sheet

Page: 1/12

BASF Safety data sheet
Date / Revised: 17.08.2022
Product: **Merivon® Fungicide**

Version: 3.0

(30552051/SDS_CPA_AU/EN)

Date of print): 12.11.2024

1. Substance/preparation and manufacturer/supplier identification

Product name:
Merivon® Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 23, 40 City Road, Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.3 (oral)

Acute toxicity: Cat.4 (Inhalation - mist)

Skin corrosion/irritation: Cat.3

Reproductive toxicity: Cat.Additional category for effects on or via lactation.

Specific target organ toxicity — single exposure: Cat.3 (irritating to respiratory system)

Hazardous to the aquatic environment - acute: Cat.1

Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:



Signal Word:
Danger

Hazard Statement:

H316	Causes mild skin irritation.
H332	Harmful if inhaled.
H301	Toxic if swallowed.
H362	May cause harm to breast-fed children.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/mist/vapours.
P263	Avoid contact during pregnancy and while nursing.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical attention.
P332 + P313	If skin irritation occurs: Get medical attention.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients

Fluxapyroxad

Content (W/W): 21.4 %
CAS Number: 907204-31-3

Repr.: Cat. Add. cat. lact.
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 1
M-factor chronic: 1

Pyraclostrobin

Content (W/W): 21.3 %
CAS Number: 175013-18-0

Acute Tox.: Cat. 3 (Inhalation - mist)
Skin Corr./Irrit.: Cat. 2
STOT SE: Cat. 3 (irr. to respiratory syst.)
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 100
M-factor chronic: 10

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides,
halogenated compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure controls and personal protection

Components with occupational exposure limits

propane-1,2-diol, 57-55-6;

TWA value 474 mg/m³ ; 150 ppm (AU NOEL), Total vapour and particulates

TWA value 10 mg/m³ (AU NOEL), Particulate

TWA value 474 mg/m³ ; 150 ppm (OEL (AU)), Total vapour and particulates

TWA value 10 mg/m³ (OEL (AU)), Particulate

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid
Colour: beige
Odour: faint odour, fruity
Odour threshold: Not determined since harmful by inhalation.

pH value: approx. 6 - 8 (pH Meter)
(CIPAC standard water D, 1 %(m),
20 °C)

crystallization temperature: approx. -6.7 °C

BASF Safety data sheet
 Date / Revised: 17.08.2022
 Product: **Merivon® Fungicide**

Version: 3.0

(30552051/SDS_CPA_AU/EN)

Date of print): 12.11.2024

Boiling point:	approx. 100 °C Information applies to the solvent.	
Flash point:	No flash point - Measurement made up to the boiling point.	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	517 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	160 °C , 110 kJ/kg (onset temperature)	(DSC (OECD 113))
	270 °C , 320 kJ/kg (onset temperature)	(DSC (OECD 113))
	410 °C , > 80 kJ/kg (onset temperature)	(DSC (OECD 113))
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. > 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)
Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.18 g/cm ³ (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	approx. 0.017 Information based on the main component/s.	
Solubility in water:	dispersible	

BASF Safety data sheet
Date / Revised: 17.08.2022
Product: **Merivon® Fungicide**

Version: 3.0

(30552051/SDS_CPA_AU/EN)

Date of print): 12.11.2024

Partitioning coefficient n-octanol/water (log Pow):
not applicable

Viscosity, dynamic: approx. 35 mPa.s (OECD 114)
(40 °C, 100 1/s)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: 160 °C, 110 kJ/kg (DSC (OECD 113))
(onset temperature)

Thermal decomposition: 270 °C, 320 kJ/kg (DSC (OECD 113))
(onset temperature)

Thermal decomposition: 410 °C, > 80 kJ/kg (DSC (OECD 113))
(onset temperature)

Thermal decomposition: Not a substance liable to self-decomposition according to
UN transport regulations, class 4.1.

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 50 - < 300 mg/kg (OECD Guideline 423)

Acute inhalation toxicity

LC50 rat (by inhalation): 2.81 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment of acute toxicity

Of pronounced toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Skin contact causes slight irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 0.032 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 0.068 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 3.56 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

EC10 (72 h) 0.44 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxymethyl]phenyl}(N-methoxy)carbamate

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxymethyl]phenyl}(N-methoxy)carbamate

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Bioaccumulation potential:

Bioconcentration factor: 36 - 37 (28 d), *Lepomis macrochirus* (OECD-Guideline 305)

Does not accumulate in organisms.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-ylloxymethyl]phenyl}(N-methoxy)carbamate

Bioaccumulation potential:

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)

Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN 2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (PYRACLOSTROBIN, FLUXAPYROXAD)

Transport hazard class(es): 6.1, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

Further information

Hazchem Code:2X

IERG Number:34

Sea transport

IMDG

UN number or ID number: UN 2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (PYRACLOSTROBIN, FLUXAPYROXAD)

Transport hazard class(es): 6.1, EHSM

Packing group: III

Environmental hazards: yes

Marine pollutant: YES

Special precautions for user: EmS: F-A; S-A

BASF Safety data sheet
Date / Revised: 17.08.2022
Product: **Merivon® Fungicide**

Version: 3.0

(30552051/SDS_CPA_AU/EN)

Date of print): 12.11.2024

Air transport

IATA/ICAO

UN number or ID number: UN 2902
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (PYRACLOSTROBIN,
FLUXAPYROXAD)
Transport hazard class(es): 6.1
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Registration No: 85698

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.